

Page 1/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 1

Revision: 02.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier Trade name PFLASTERSTEIN-FARBE

Article number: 818106

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. **Application of the substance / the mixture** Coating material

#### 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: BAUFIX GmbH Postfach 10 13 29 D-69126 Heidelberg Information department:

 Tel.:
 0049 / 6221 / 34210

 Fax.:
 0049 / 6221 / 303546

 Internet:
 www.baufix-online.com

 e-mail:
 info@baufix-online.de

## 1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 Tel.: 0049 / 6221 / 34210 - during normal office hours

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

**SECTION 2: Hazards identification** 

# **2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008** The product is not classified, according to the GB CLP regulation.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 Void
Hazard pictograms Void
Signal word Void
Hazard statements Void
Additional information:
EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
2.3 Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 1

Revision: 02.08.2022

# Trade name **PFLASTERSTEIN-FARBE**

(Contd. of page 1)

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Mixture of the substances listed below with harmless additions.

Dangerous components [% w/w]:		
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- XXXX	titanium dioxide Carc. 2, H351	≥0.1-≤0.5%
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44- XXXX	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	≤0.5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%
CAS: 55965-84-9 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- XXXX	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C;H314: C $\geq$ 0.6 % Skin Irrit. 2; H315: 0.06 % $\leq$ C < 0.6 % Eye Dam. 1; H318: C $\geq$ 0.6 % Eye Irrit. 2; H319: 0.06 % $\leq$ C < 0.6 % Skin Sens. 1A; H317: C $\geq$ 0.0015 %	≥0.00025-<0.0015%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

## 4.1 Description of first aid measures

After inhalation Seek medical treatment in case of complaints.

After skin contact If skin irritation continues, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** symptomatic treatment

**SECTION 5: Firefighting measures** 

#### 5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available. **5.3 Advice for firefighters** 

Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency proceduresKeep people at a distance and stay on the windward side.6.2 Environmental precautions: Dilute with plenty of water.

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 1

Revision: 02.08.2022

# Trade name **PFLASTERSTEIN-FARBE**

# 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

**SECTION 7: Handling and storage** 

# 7.1 Precautions for safe handling

No special measures required.

No special precautions necessary if used correctly.

# 7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and containers: No special requirements. Further information about storage conditions: None.

**SECTION 8: Exposure controls/personal protection** 

#### 8.1 Control parameters

## Components with limit values that require monitoring at the workplace:

## CAS: 13463-67-7 titanium dioxide

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*total inhalable \*\*respirable

## CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m<sup>3</sup>, 15 ppm

Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm

Additional information: The lists that were valid during compilation were used as a basis.

#### 8.2 Exposure controls

#### Appropriate engineering controls No further data; see item 7.

## Individual protection measures, such as personal protective equipment General protective and hygienic measures

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

## Respiratory equipment: not required.

### Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material

Break through time: max. 240 min (DIN EN 374).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses recommended during refilling.

**SECTION 9: Physical and chemical properties** 

9.1 Information on basic physical and chemical properties General Information Physical state Fluid (Contd. of page 2)

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 1

Revision: 02.08.2022

# Trade name **PFLASTERSTEIN-FARBE**

(Contd. of page 3) Colour: According to product specification Odour: Characteristic **Odour threshold:** Not determined. Melting point/freezing point: Not determined Boiling point or initial boiling point and boiling range Not determined Flammability Not applicable. Lower and upper explosion limit Lower: Not determined. Upper: Not determined. Flash point: >100 °C Ignition temperature: not applicable **Decomposition temperature:** Not determined. pH at 20 °C 8.5 Viscosity: **Kinematic viscosity** Not determined. dynamic at 20 °C: 500 mPas Solubility Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined. Density and/or relative density Density at 20 °C: 1 g/cm<sup>3</sup> **Relative density** Not determined. Vapour density Not determined. 9.2 Other information **Appearance:** Form: Fluid Important information on protection of health and environment, and on safety. **Explosive properties:** Product is not explosive. Solvent separation test < 3 % Organic solvents: 2.2 % **VOC EU** <50 a/l 70.4 % Water: Solid content: 50.0 % Change in condition **Evaporation rate** Not determined. Information with regard to physical hazard classes **Explosives** Void Flammable gases Void Aerosols Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void **Organic peroxides** Void Corrosive to metals Void

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 1

Revision: 02.08.2022

# Trade name **PFLASTERSTEIN-FARBE**

(Contd. of page 4)

# Desensitised explosives

Void

SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known

# **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available.
Skin corrosion/irritation: Based on available data, the classification criteria are not met.
Serious eye damage/irritation: Based on available data, the classification criteria are not met.
Sensitisation: Based on available data, the classification criteria are not met.
Germ cell mutagenicity: Based on available data, the classification criteria are not met.
Carcinogenicity: Based on available data, the classification criteria are not met.
Carcinogenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.
STOT-single exposure: Based on available data, the classification criteria are not met.
STOT-repeated exposure: Based on available data, the classification criteria are not met.
Aspiration hazard: Based on available data, the classification criteria are not met.
11.2 Information on other hazards

# Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties** 

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Do not allow product to reach ground water, bodies of water or sewage system.

**SECTION 13: Disposal considerations** 

#### Recommendation

Do not dispose of together with household garbage. Do not allow product to reach sewage system. The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

# European waste catalogue

08 01 20 aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

# Uncleaned packaging:

#### **Recommendation:**

Packaging can be reused or recycled after cleaning. Disposal must be made according to official regulations. Page 6/7

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 1

Revision: 02.08.2022

# Trade name **PFLASTERSTEIN-FARBE**

(Contd. of page 5)

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according to         IMO instruments       Not applicable.		
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship.

#### **Relevant phrases**

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008 Calculation method

# Department issuing data specification sheet: Product Safety department / EHS

# Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Page 7/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 1

Revision: 02.08.2022

# Trade name **PFLASTERSTEIN-FARBE**

(Contd. of page 6)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1