

Page 1/8

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 2 (replaces version 1)

Revision: 03.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier Trade name FASSADENFARBE PLUS

Article number: 8420

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. **Application of the substance / the mixture** Coating material

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: BAUFIX GmbH Postfach 10 13 29 D-69126 Heidelberg Information department: Tel.: 0049 / 6221 / 34210

Fax.: 0049 / 6221 / 303546 Internet: www.baufix-online.com e-mail: info@baufix-online.de

#### 1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 Tel.: 0049 / 6221 / 34210 - during normal office hours

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

**SECTION 2: Hazards identification** 

#### 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 (M=1) Harmful to aquatic life with long lasting effects.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



Signal word Warning

Hazard-determining components of labelling:

2-octyl-2H-isothiazol-3-one 2-methyl-2H-isothiazol-3-one Page 2/8

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 2 (replaces version 1)

Revision: 03.02.2022

### Trade name FASSADENFARBE PLUS

(Contd. of page 1)

1,2-benzisothiazol-3(2H)-one

#### Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Additional information:

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: aqueous dispersion

Dangerous components [% w/w]:		
	preservation agents Acute Tox. 3, H301; Acute Tox. 2, H330; Repr. 1B, H360D; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=10) ATE: LD50 oral: 221 mg/kg LC50/4 h inhalative: 0.14 mg/l	≥0.00025-<0.0025%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- XXXX	titanium dioxide Carc. 2, H351	≥5-<10%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C $\geq$ 0.05 %	<0.05%

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 2 (replaces version 1)

Revision: 03.02.2022

### Trade name FASSADENFARBE PLUS

		(Contd. of page 2)
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit:	≥0.0025-<0.025%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9	Skin Sens. 1A;H317: C $\geq$ 0.0015 % 2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1, H317, EUH071 Specific concentration limit: Skin Sens. 1A;H317: C $\geq$ 0.0015 %	<0.0015%

Additional information For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures** 

#### 4.1 Description of first aid measures

#### After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact Wash immediately with water and soap and rinse thoroughly.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** symptomatic treatment

**SECTION 5: Firefighting measures** 

#### 5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform responsible authorities in case product reaches bodies of water or sewage system. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

**SECTION 7: Handling and storage** 

#### 7.1 Precautions for safe handling

No special measures required.

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 2 (replaces version 1)

Trade name FASSADENFARBE PLUS

No special precautions necessary if used correctly.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers: No special requirements. Further information about storage conditions: None.

**SECTION 8: Exposure controls/personal protection** 

#### 8.1 Control parameters

#### Components with limit values that require monitoring at the workplace:

#### CAS: 13463-67-7 titanium dioxide

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*total inhalable \*\*respirable

Additional information: The lists that were valid during compilation were used as a basis.

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

#### Individual protection measures, such as personal protective equipment General protective and hygienic measures

### Immediately remove soiled, saturated clothing.

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evaluated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

#### **Respiratory equipment:**

In case of brief exposure or low pollution load, use respiratory protection equipment with filter. In case of intensive or longer exposure, use self-contained respiratory protection equipment.

#### Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

#### Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

#### Break through time: max. 240 min (DIN EN 374).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses recommended during refilling.

#### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information		
Physical state	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and boiling		
range	Not determined	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	

(Contd. of page 3)

Revision: 03.02.2022

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 2 (replaces version 1)

Revision: 03.02.2022

(Contd. of page 4)

### Trade name FASSADENFARBE PLUS

Flash point: Not applicable Ignition temperature: not applicable **Decomposition temperature:** Not determined. pH at 20 °C 8-9 Viscosity: **Kinematic viscosity** Not determined. dynamic at 20 °C: 14.000-30.000 mPas Solubility Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure at 20 °C: 23 hPa Density and/or relative density Density at 20 °C: 1.5-1.6 g/cm<sup>3</sup> **Relative density** Not determined. Vapour density Not determined. 9.2 Other information **Appearance:** Form: Highly viscous Important information on protection of health and environment, and on safety. **Explosive properties:** Product is not explosive. Solvent separation test < 3 % **VOC EU** <1 g/l Change in condition **Evaporation rate** Not determined. Information with regard to physical hazard classes **Explosives** Void Flammable gases Void Void **Aerosols Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void **Organic peroxides** Void Corrosive to metals Void **Desensitised explosives** Void

**SECTION 10: Stability and reactivity** 

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

#### Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 2 (replaces version 1)

Revision: 03.02.2022

### Trade name FASSADENFARBE PLUS

(Contd. of page 5)

#### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:** Based on available data, the classification criteria are not met. **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

#### Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark: Harmful to fish

#### Additional ecological information:

#### General notes:

Do not allow product to reach ground water, bodies of water or sewage system. Hazardous to drinking water even if small quantities leak into soil. Harmful to aquatic organisms

**SECTION 13: Disposal considerations** 

#### Recommendation

Do not dispose of together with household garbage. Do not allow product to reach sewage system. The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

#### European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

#### Uncleaned packaging:

**Recommendation:** 

Packaging can be reused or recycled after cleaning. Disposal must be made according to official regulations. **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

 14.1 UN number or ID number

 ADR, IMDG, IATA
 Void

 14.2 UN proper shipping name

 ADR, IMDG, IATA
 Void

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 2 (replaces version 1)

Revision: 03.02.2022

(Contd. of page 6)

### Trade name FASSADENFARBE PLUS

14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class Void 14.4 Packing group ADR, IMDG, IATA Void 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Not applicable. 14.7 Maritime transport in bulk according to **IMO** instruments Not applicable. **UN "Model Regulation":** Void

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information** 

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship.

#### **Relevant phrases**

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.
- H360D May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008 Calculation method

**Department issuing data specification sheet:** Product Safety department / EHS **Version number of previous version:** 1

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

Page 8/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2022

Version number 2 (replaces version 1)

Revision: 03.02.2022

### Trade name FASSADENFARBE PLUS

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Carc. 2: Carcinogenicity - Category 2 Repr. 1B: Reproductive toxicity - Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 (Contd. of page 7)